

Osmocote® Blend

Controlled Release Fertilizer
Fertilizante de liberación controlada

18-5-8

12-14

Coated Micronutrients

Micromax® Micronutrients Inside

GUARANTEED ANALYSIS

F1877

ANÁLISIS GARANTIZADO

F1877

Total Nitrogen (N)*	18%
5.9% Ammoniacal Nitrogen	
5.0% Nitrate Nitrogen	
7.1% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)*	5%
Soluble Potash (K ₂ O)*	8%
Magnesium (Mg)*	1.4%
0.5% Water Soluble Magnesium (Mg)	
Sulfur (S)*	5.3%
5.3% Combined Sulfur (S)	
Boron (B)	0.02%
Copper (Cu)	0.13%
0.13% Water Soluble Copper (Cu)	
Iron (Fe)*	3.51%
2.46% Water Soluble Iron (Fe)	
0.06% Chelated Iron (Fe)	
Manganese (Mn)*	0.35%
0.33% Water Soluble Manganese (Mn)	
Molybdenum (Mo)*	0.016%
Zinc (Zn)	0.13%
0.12% Water Soluble Zinc (Zn)	

Derived From: Polymer Coated: Ammonium Nitrate, Ammonium Phosphate, Urea, Calcium Phosphate, Potassium Sulfate, Magnesium Oxide, Magnesium Sulfate, Iron EDTA, Iron Sulfate, Manganese Phosphate, Manganese Sulfate, Sodium Molybdate; Magnesium Carbonate, Magnesium Oxide, Magnesium Sulfate, Sodium Borate, Copper Sulfate, Iron EDTA, Iron Sulfate, Iron Sulfate, Manganese Sulfate, Sodium Molybdate, Zinc Sulfate.

* The Nitrogen, Phosphate, Potash, Magnesium, Sulfur, Iron, Manganese, and Molybdenum sources have been coated to provide 18% coated slow-release Nitrogen (N), 5% coated slow-release available Phosphate (P₂O₅), 8% coated slow-release soluble Potash (K₂O), 0.5% coated slow-release Magnesium (Mg), 3.5% coated slow-release Sulfur (S), 0.18% coated slow-release Iron (Fe), 0.02% coated slow-release Manganese (Mn), 0.009% coated slow-release Molybdenum (Mo).

WARNING: This fertilizer contains greater than 0.001% Molybdenum (Mo). The application of fertilizer materials containing Molybdenum may result in forage crops containing levels of Molybdenum which are toxic to ruminant animals.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>

For further inquiries regarding the metals content in this product, please call 1-800-492-8255 or 314-983-7500.

SURFACE APPLICATION Rates per Container (grams)**

APLICACIÓN EN SUPERFICIES Dosis por contenedor (gramos)**

VOLUME VOLUMEN	LOW BAJA	MEDIUM MEDIA	HIGH ALTA
Trade 1 Gallon/2,6 litros	15	21	27
1 Gallon/3,8 litros	22	30	39
Trade 2 Gallon/6,0 litros	36	51	65
2 Gallon/7,6 litros	45	62	80
3 Gallon/11,4 litros	65	91	117
5 Gallon/19 litros	87	122	157
7 Gallon/26,6 litro	130	182	233

INCORPORATION RATES DOSIS DE INCORPORACIÓN	LOW BAJA	MEDIUM MEDIA	HIGH ALTA
Lbs. per Cubic Yard/Libras por yarda ³	10.0	14.0	18.0
Kg. per Cubic Meters/Kg por metro ³	5.9	8.3	10.7
Grams per Liter/Gramos por litro	5.9	8.3	10.7

** Visit www.icl-sf.us.com for a more comprehensive container list/
Visite www.icl-sf.us.com, donde encontrará una lista más completa de recipientes.

Do not ingest or inhale. Keep away from children or pets.
Follow label instructions and use care when handling all fertilizer products.



FOR PROFESSIONAL USE ONLY

USE ONLY AS DIRECTED
ESTADOS UNIDOS SOLAMENTE SEGÚN LO DIRIGIDO

APPROXIMATE VOLUME MEASURES / MEDICIONES APROXIMADAS DEL VOLUMEN

Yellow Spoons (level) Cucharadas de amarillas (rasas)	#1	#2	#3	#4	#5	#6	#7
Approximate Weight (in grams) Peso aproximado (en gramos)	9	13	17	36	47	70	94
Conventional Measures (level) Medidas convencionales (rasas)	1 tsp. 1 ctda.	1 tbsp. 1 cda.	¼ c. ¼ tz.	⅓ c. ⅓ tz.	½ c. ½ tz.	1 c. 1 tz.	
Approximate Weight (in grams) Peso aproximado (en gramos)	5	15	59	79	118	234	

28 grams = 1 oz. / 454 grams = 1 lb. 28 gramos = 1 oz. / 454 gramos = 1 lb.
teaspoon = tsp. tablespoon = tbsp. cucharadita = cda. cucharada = cda.
cup = c. ounce = oz. pound = lb. taza = tz. onza = oz. libra = lb.

Warning

Causes skin irritation and serious eye irritation. May cause damage to organs through prolonged or repeated exposure.

Wash face, hands and any exposed skin thoroughly after handling. Do not breathe dust. Wear protective gloves/eye protection/face protection. Get medical advice/attention if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water and soap. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Dispose of contents/container to an approved waste disposal plant. Toxic to aquatic life with long lasting effects.

Nitrógeno (N)* total	18%
5,9% de Nitrógeno Amoniacal	
5,0% de Nitrógeno Nítrico	
7,1% de Nitrógeno Ureico	
Fosfato (P ₂ O ₅)* disponible	5%
Potasa (K ₂ O)* soluble	8%
Magnesio (Mg)*	1,4%
0,5% de Magnesio (Mg) soluble en agua	
Azufre (S)*	5,3%
5,3% de Azufre (S) combinado	
Boro (B)	0,02%
Cobre (Cu)	0,13%
0,13% de Cobre (Cu) soluble en agua	
Hierro (Fe)*	3,51%
2,46% de Hierro (Fe) soluble en agua	
0,06% de Hierro (Fe) quelado	
Manganeso (Mn)*	0,35%
0,33% de Manganeso (Mn) soluble en agua	
Molibdeno (Mo)*	0,016%
Zinc (Zn)	0,13%
0,12% de Zinc (Zn) soluble en agua	

Derivado de: Ecubierto de polímero: Nitrato de Amonio, Fosfato de Amonio, Ureico, Fosfato de Calcio, Sulfato de Potasio, Óxido de Magnesio, Sulfato de Magnesio, EDTA de Hierro, Sulfato de Hierro, Fosfato de Manganese, Sulfato de Manganese, Molibdato de Sodio; Carbonato de Magnesio, Óxido de Magnesio, Sulfato de Magnesio, Borato de Sodio, Sulfato de Cobre, EDTA de Hierro, Sutrato de Hierro, Sulfato de Hierro, Sulfato de Manganese, Molibdato de Sodio, Sulfato de Zinc.


* Las fuentes de Nitrógeno, Fosfato, Potasa, Magnesio, Azufre, Hierro, Manganese y Molibdeno están recubiertas para brindar 18% de Nitrógeno (N) recubierto de liberación lenta; 5% de Fosfato (P₂O₅) disponible recubierto de liberación lenta; 8% de Potasa (K₂O) soluble recubierta de liberación lenta; 0,5% de Magnesio (Mg) recubierto de liberación lenta; 3,5% de Azufre (S) recubierto de liberación lenta; 0,18% de Hierro (Fe) recubierto de liberación lenta, 0,02% de Manganese (Mn) recubierto de liberación lenta y 0,009% de Molibdeno (Mo) recubierto de liberación lenta.

ADVERTENCIA: Este fertilizante contiene más de 0.001% de molibdeno (Mo). Los la aplicación de materiales fertilizantes que contienen molibdeno puede producir cultivos forrajeros. Que contienen niveles de molibdeno que son tóxicos para los animales rumiantes.

La información relacionada con el contenido y los niveles de metales de este producto están disponibles en Internet en <http://www.aapfco.org/metals.html>

Para mas información con respecto a los metales pesados de este producto, marque a 1-800-492-8255 or 314-983-7500.

Longevity at the following Average Media Temperature (F) Longevidad promedio a la siguiente temperature del substrato (F)			
60°F (15°C)	70°F (21°C)	80°F (26°C)	90°F (32°C)
14 – 16 MONTHS MESES	12 – 14 MONTHS MESES	8 – 9 MONTHS MESES	7 – 8 MONTHS MESES



A921712